



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,008	08/21/2003	Randall E. Aull	MS304410.1/MSFTP463US	6222
27195	7590	12/18/2008		
AMIN, TUROCY & CALVIN, LLP			EXAMINER	
127 Public Square			GELAGAY, SHEWAYE	
57th Floor, Key Tower				
CLEVELAND, OH 44114			ART UNIT	PAPER NUMBER
			2437	
			NOTIFICATION DATE	DELIVERY MODE
			12/18/2008	ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket1@thepatentattorneys.com  
hholmes@thepatentattorneys.com  
lpasterchek@thepatentattorneys.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/645,008	<b>Applicant(s)</b> AULL ET AL.	
	<b>Examiner</b> SHEWAYE GELAGAY	<b>Art Unit</b> 2437	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-4,6,8-13,15-21,25-28,30,32 and 35 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4,6,8-13,15-21,25-28,30,32 and 35 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>9/24/08</u> .   | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

1. This office action is in response to Applicant's arguments filled on 9/30/08.

Claims 1-4, 6, 8-13, 15-21, 25-28, 30, 32 and 35 are pending.

### ***Response to Arguments***

1. Applicant's arguments filed September 30, 2008 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-4, 8, 10, 12, 14, 20, 25-26, 32 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Phillips et al. (hereinafter Phillips) US Patent Number 6,721,555 in view of Hocker et al. (hereinafter Hocker) US 5,923,757 and in view of Bartek et al. (hereinafter Bartek) US 2004/0122649.

As per claims 1, 12, 20, 25, 32 and 35:

Phillips teaches a physical device bonding system that facilitates device installation and/or authentication comprising: a physical interface component that physically couples at least two devices; (figure 1, item Rm; col. 7, lines 41-57) and an

Art Unit: 2437

invocation component that invokes an installation protocol and/or an authentication protocol for a non-physical connection upon the at least two devices physically coupling. (figure 1; col. 4, line 54-col. 5, line 63)

Phillips does not explicitly teach to establish a non-physical connection so that the at least two devices communicate wirelessly upon being physically decoupled; and a token key comprised within the physical interface component that physically connects a plurality of devices simultaneously, stores the at least one of the installation or authentication protocols for later use and establishes respective non-physical connections of the plurality of devices to at least one network entity. Hocker in analogous art, however, teaches to establish a non-physical connection so that the at least two devices communicate wirelessly upon being physically decoupled (col. 1, lines 50-col. 2, line 21; col. 3, lines 19-33; col. 7, lines 141-27; col. 8, lines 45-col. 10, line 4). Therefore it would have been obvious to one ordinary skill in the art at the time the invention was made to modify the system disclosed by Phillips with Hocker in order to provide a maximally secure wireless communication via a temporary wired connection for the exchange of the identifier address and encryption key thereby preventing a possibility for unauthorized interception of interdevice information being transmitted via wireless modality. (col. 1, lines 50-57; Hocker)

Both references do not explicitly disclose a token key comprised within the physical interface component that physically connects a plurality of devices simultaneously, stores the at least one of the installation or authentication protocols for later use and establishes respective non-physical connections of the plurality of devices

Art Unit: 2437

to at least one network entity. Bartek in analogous art, however teaches a token key comprised within the physical interface component that physically connects a plurality of devices simultaneously, stores the at least one of the installation or authentication protocols for later use and establishes respective non-physical connections of the plurality of devices to at least one network entity. (page 1, pp. 4-6; page 2, pp. 20; page 3, pp. 29-page 4, pp. 38) Therefore it would have been obvious to one ordinary skill in the art at the time the invention was made to modify the system disclosed by Phillips and Hocker with Bartek in order to have a system for emulating a physical connection by providing a wireless substitute for physical connections to peripherals. (page 1, pp. 4; Bartek)

As per claims 2 and 14:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Phillips further discloses a system at least two devices further comprising at least one wireless device and at least one network entity. (figure 1)

As per claim 3:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Phillips further discloses a system the installation protocol at least one of the authentication protocol invokes the installation at least one of authentication during the physical connection. (col. 5, lines 6-25)

As per claim 4:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Phillips further discloses a system at least one of the

Art Unit: 2437

installation protocol or the authentication protocol is utilized to invoke installation or authentication after a physical connection is disengaged. (col. 5, lines 56-64)

As per claim 26:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Phillips further discloses a system that infers at least one of the installation protocols or authentication protocols to establish the non-physical connection between a wireless device and a network entity. (col. 4, line 54-col. 5, line 63)

As per claim 8:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Phillips further discloses a system the physical interface is at least one of or a combination of the following: a human; a cradle; a dock; a cord; a wand; a wire; and a touch pad. (figure 1, item Rm; col. 7, lines 41-57)

As per claim 10:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Phillips further discloses a system the physical interface is a universal serial bus cable. (figure 1, item Rm; col. 7, lines 41-57)

As per claim 11:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. In addition, Hocker further discloses a non-physical connection is at least one of: a wireless connection; an optical connection; and an infrared connection.

Art Unit: 2437

(col. 1, lines 50-col. 2, line 21; col. 3, lines 19-33; col. 7, lines 141-27; col. 8, lines 45-col. 10, line 4)

4. Claims 6, 9, 15-19, 21, 27 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Phillips et al. (hereinafter Phillips) US Patent Number 6,721,555 in view of Hocker et al. (hereinafter Hocker) US 5,923,757 and in view of Bartek et al. (hereinafter Bartek) US 2004/0122649 and further in view of Plasson et al. (hereinafter Plasson) US Patent Number 6,795,688.

As per claims 6, 21, 27 and 30:

5. The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. None of the references explicitly disclose the invocation component utilizes a daisy chain scheme to invoke at least one of the installation protocol or authentication protocol. Plasson in analogous art, however, discloses invocation component utilizes a daisy chain scheme to invoke the installation protocol and/or authentication protocol. (col. 10, line 34-col. 11, line 11 ; col. 17, lines 53-67) Therefore it would have been obvious to one ordinary skill in the art to modify the method disclosed by Phillips, Hocker and Bartek with Plasson in order to provide a system dynamically configuring a device, adapted to be communicatively coupled in a wireless personal area network, with an attribute corresponding to the device. (col. 5, lines 43-45; Plasson)

As per claim 9:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. None of the references explicitly disclose the physical interface is a

Art Unit: 2437

touch-pad comprising a conductive material. Plasson in analogous, art, however, discloses the physical interface is a touch-pad comprising a conductive material. (col. 10, lines 8-17) Therefore it would have been obvious to one ordinary skill in the art to modify the method disclosed by Phillips, Hocker and Bartek with Plasson in order to provide a system to communicate information and command selections. (col. 10, lines 9-10; Plasson)

As per claim 15:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. None of the references explicitly disclose the physical interface component comprises a plurality of device at least one of the installation or authentication protocol(s) that provides the installation and/or authentication of a plurality of non-physical connections. Plasson in analogous art, however, discloses the physical interface component comprises a plurality of device at least one of the installation or authentication protocol(s) that provides at least one of the installation or authentication of a plurality of non-physical connections. (figure 3A) Therefore it would have been obvious to one ordinary skill in the art to modify the method disclosed by Phillips, Hocker and Bartek with Plasson in order to provide a system to communicate information and command selections. (col. 10, lines 9-10; Plasson)

As per claims 16 and 18-19:

The combination of Phillips, Hocker, Bartek and Plasson teaches all the subject matter as discussed above. In addition, Plasson further discloses a system the non-physical connections between the plurality of devices and the at least one network entity



Art Unit: 2437

are independent and separate. (figure 1, item 190)

As per claim 17:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. None of the references explicitly disclose the device is at least one of a wireless adapter; a wireless speaker; a wireless headset; a wireless keyboard; a wireless mouse; a wireless monitor; a wireless personal digital assistant (PDA); a wireless access point; and a wireless MP3 player. (col. 10, lines 8-55) Therefore it would have been obvious to one ordinary skill in the art to modify the method disclosed by Phillips, Hocker and Bartek with Plasson in order to provide a system dynamically configuring a device, adapted to be communicatively coupled in a wireless personal area network, with an attribute corresponding to the device. (col. 5, lines 43-45; Plasson)

6. Claims 13 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Phillips et al. (hereinafter Phillips) US Patent Number 6,721,555 in view of Hocker et al. (hereinafter Hocker) and in view of Bartek et al. (hereinafter Bartek) US 2004/0122649 and further in view of Chaskar et al. (hereinafter Chaskar) US Publication Number 2005/0066044.

As per claims 13 and 28:

The combination of Phillips, Hocker and Bartek teaches all the subject matter as discussed above. None of the references explicitly disclose utilizing an artificial intelligence technique to facilitate installation and/or authentication of a device. Chaskar in analogous art, however, discloses utilizing an artificial intelligence technique to

Art Unit: 2437

facilitate installation and/or authentication of a device. (page 5, paragraph 51) Therefore it would have been obvious to one ordinary skill in the art to modify the method disclosed by Phillips, Hocker and Bartek with Chaskar in order to facilitate probability of success regarding satisfying the mobile device current location determination needs.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SHEWAYE GELAGAY whose telephone number is (571)272-4219. The examiner can normally be reached on 8:00 am to 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on 571-272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. G./

Application/Control Number: 10/645,008

Page 10

Art Unit: 2437

Examiner, Art Unit 2437

/Emmanuel L. Moise/

Supervisory Patent Examiner, Art Unit 2437